

## PharmLabs Dallas LLC Certificate of Analysis

2567 Valley View Ln, Dallas, TX 75234, United States | License: 2020001  
ISO/IEC 17025:2017 Certification L20-89-5 | Accreditation #85368

Sample **D8-0321-1**

Sample ID	TX210304-002 (1133)	Matrix	Distillate
Primary License	2020-N-1843022	Address	3280 Suntree Blvd, Suite 105, Melbourne, FL 32940
Sampled	-	Received	Mar 04, 2021
Analyses executed	CAN, RES, MIB, MTO, PES, HME	Reported	Mar 05, 2021
Name	Harbor City Hemp, LLC		

## CAN - Cannabinoid Profile Analysis

Analyzed Mar 04, 2021 | Instrument HPLC-DAD | Method WI-32  
Measurement Uncertainty at 95% confidence 10.0%

Analyte	LOD	LOQ	Result %	Result mg/g
Cannabidivarinic acid (CBDVa)	2.0e-06	5.0e-06	ND	ND
Cannabidivarin (CBDV)	3.0e-06	1.0e-05	ND	ND
Cannabidiolic acid (CBDa)	3.0e-06	8.0e-06	ND	ND
Cannabigerolic acid (CBGa)	3.0e-06	8.0e-06	ND	ND
Cannabigerol (CBG)	5.0e-06	1.6e-05	ND	ND
Cannabidiol (CBD)	6.0e-06	1.7e-05	ND	ND
Tetrahydrocannabivarin (THCV)	6.0e-06	1.7e-05	ND	ND
Tetrahydrocannabivarinic acid (THCVa)	5.0e-06	1.5e-05	ND	ND
Cannabinol (CBN)	3.0e-06	1.0e-05	ND	ND
Cannabinolic acid (CBNa)	8.0e-06	2.6e-05	ND	ND
$\Delta$ 9-Tetrahydrocannabinol ( $\Delta$ 9-THC)	1.2e-05	3.6e-05	ND	ND
$\Delta$ 8-Tetrahydrocannabinol ( $\Delta$ 8-THC)	1.5e-05	4.5e-05	94.04	940.35
Cannabicyclol (CBL)	1.3e-05	3.8e-05	ND	ND
$\Delta$ 9-Tetrahydrocannabinolic acid (THCa)	9.0e-06	2.8e-05	ND	ND
Cannabichromene (CBC)	6.0e-06	1.9e-05	ND	ND
Cannabichromenic acid (CBCa)	2.2e-05	6.7e-05	ND	ND
Total THC (THCa * 0.877 + THC)			ND	ND
Total CBD (CBDa * 0.877 + CBD)			ND	ND
<b>TOTAL CANNABINOIDS</b>			<b>94.04</b>	<b>940.40</b>

## Sample photography



## HME - Heavy Metals Detection Analysis

Analyzed Mar 05, 2021 | Instrument ICP-MS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.00055	0.00167	0.00	1.5	Cadmium (Cd)	0.00042	0.00127	0.00	0.3
Mercury (Hg)	0.00046	0.0014	0.00	0.5	Lead (Pb)	0.00036	0.0011	0.01	1.0

ND Not Detected  
N/A Not Applicable  
NT Not Reported  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



Authorized Signature  
*Archana*  
Dr. Archana R. Parameswar,  
Laboratory Director  
Fri, 05 Mar 2021 16:20:19 -0600

PharmLabs Dallas LLC | 2567 Valley View Ln, Dallas, TX 75234, United States | 214.903.4405 | ISO/IEC 17025:2017 Certification L20-89-5

\*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise.

## MIB - Microbial Testing Analysis

Analyzed Mar 05, 2021 | Instrument qPCR and/or Plating | Method WI-35, WI-36, WI-37, SOP-007

Analyte	Result CFU/g	Limit	Analyte	Result CFU/g	Limit
Shiga toxin-producing Escherichia Coli	Negative	ND per 1 gram	Salmonella spp.	Negative	ND per 1 gram
Aspergillus fumigatus	Negative	ND per 1 gram	Aspergillus flavus	Negative	ND per 1 gram
Aspergillus niger	Negative	ND per 1 gram	Aspergillus terreus	Negative	ND per 1 gram

## MTO - Mycotoxin Testing Analysis

Analyzed Mar 05, 2021 | Instrument LC-MS/MS | Method WI-29, WI-30

Analyte	LOD ppb	LOQ ppb	Result ug/kg (ppb)	Limit ug/kg	Analyte	LOD ppb	LOQ ppb	Result ug/kg (ppb)	Limit ug/kg
Aflatoxin B1	0.003	0.01	ND	20	Aflatoxin B2	0.01	0.03	ND	20
Aflatoxin G1	0.006	0.019	ND	20	Aflatoxin G2	0.013	0.039	ND	20
Ochratoxin A	0.019	0.058	ND	20	Total Aflatoxins	0.013	0.039	ND	20

## PES - Pesticides Screening Analysis

Analyzed Mar 05, 2021 | Instrument LC-MS/MS | Method WI-29, WI-30

Analyte	LOD ppb	LOQ ppb	Result ug/g	Limit ug/g	Analyte	LOD ppb	LOQ ppb	Result ug/g	Limit ug/g
Abamectin	0.11	0.33	ND	0.3	Acephate	0.23	0.7	ND	5
Acequinocyl	0.11	0.32	ND	4	Acetamiprid	0.02	0.05	ND	5
Aldicarb	0.02	0.05	ND	0.4	Azoxystrobin	0.02	0.06	ND	40
Bifenazate	0.01	0.03	ND	5	Bifenthrin	0.02	0.06	ND	0.5
Boscalid	0.06	0.17	ND	10	Carbaryl	0.01	0.04	ND	0.5
Carbofuran	0.01	0.02	ND	0.01	Chlorantraniliprole	0.01	0.03	ND	40
Chlorpyrifos	0.01	0.03	ND	0.01	Clofentezine	0.01	0.04	ND	0.5
Coumaphos	0.04	0.12	ND	0.04	Cyfluthrin	2.32	7.02	ND	2.32
Cypermethrin	0.37	1.13	ND	1	Daminozide	0.55	1.65	ND	0.55
Diazinon	0.01	0.04	ND	0.2	Dichlorvos	0.05	0.14	ND	0.05
Dimethoate	0.01	0.02	ND	0.01	Dimethomorph	0.01	0.03	ND	20
Ethoprophos (Prophos)	0.02	0.05	ND	0.02	Etofenprox	0.01	0.04	ND	0.01
Etoxazole	0.01	0.02	ND	1.5	Fenhexamid	0.04	0.14	ND	10
Fenoxycarb	0.02	0.06	ND	0.02	Fenpyroximate	0.01	0.04	ND	2
Fipronil	0.01	0.04	ND	0.01	Fludioxinil	0.02	0.05	ND	30
Flonicamide	0.01	0.03	ND	2	Hexythiazox	0.01	0.02	ND	2
Imazalil	0.06	0.17	ND	0.06	Imidacloprid	0.04	0.11	ND	0.4
Kresoxim-methyl	0.02	0.05	ND	1	Malathion	0.01	0.03	ND	5
Metalaxyl	0.01	0.02	ND	15	Methiocarb	0.01	0.03	ND	0.4
Methomyl	0.02	0.05	ND	0.4	Mevinphos	0.06	0.18	ND	0.06
Myclobutanil	1.19	3.61	ND	9	Naled	0.03	0.08	ND	0.5
Oxamyl	0.02	0.05	ND	1	Paclobutrazole	0.02	0.06	ND	0.02
Permethrin	0.08	0.26	ND	20	Phosmet	0.01	0.03	ND	0.2
Piperonyl Butoxide	0.01	0.04	ND	8	Prallethrin	0.1	0.3	ND	0.4
Propiconazole	0.07	0.22	ND	20	Baygon (Propoxur)	0.01	0.03	ND	0.01
Pyrethrin-I	0.02	0.06	ND	1	Pyridaben	0.01	0.02	ND	3
Spinetoram	0.23	0.69	ND	3	Spinosyn A	0.01	0.02	ND	3
Spinosyn D	0.005	0.01	ND	3	Spiromesifen	0.05	0.14	ND	12
Spirotetramat	0.01	0.03	ND	13	Spiroxamine	0.01	0.03	ND	0.01
Tebuconazole	0.01	0.03	ND	2	Thiachloprid	0.01	0.03	ND	0.01
Thiamethoxam	0.01	0.04	ND	4.5	Trifloxystrobin	0.01	0.03	ND	30
Methyl Parathion	0.05	0.14	ND	8.5	Chlorfenapyr	0.83	2.53	ND	0.83
Chlordane	0.74	2.25	ND	0.74	Pentachloronitrobenzene	0.06	0.17	ND	0.2

# RES - Residual Solvents Testing Analysis

Analyzed Mar 05, 2021 | Instrument GC-MSD | Method WI-31

Analyte	LOD ppm	LOQ ppm	Result ug/g	Limit ug/g	Analyte	LOD ppm	LOQ ppm	Result ug/g	Limit ug/g
Propane (Prop)	0.466	1.411	ND	5000	Butane (But)	0.202	0.611	ND	5000
Methanol (Metha)	0.074	0.226	ND	3000	Ethylene Oxide (EthOx)	0.001	0.004	ND	1
Pentane (Pen)	0.134	0.407	ND	5000	Ethanol (Ethan)	0.126	0.383	12.6	5000
Ethyl Ether (EthEt)	0.022	0.066	ND	5000	Acetone (Acet)	0.059	0.178	ND	5000
Isopropanol (2-Pro)	0.031	0.094	ND	5000	Acetonitrile (Acetonit)	0.018	0.056	ND	410
Methylene Chloride (MetCh)	0.007	0.021	ND	1	Hexane (Hex)	0.026	0.078	ND	290
Ethyl Acetate (EthAc)	0.028	0.085	ND	5000	Chloroform (Clo)	0.01	0.031	ND	1
Benzene (Ben)	0.008	0.025	ND	1	1-2-Dichloroethane (12-Dich)	0.01	0.031	ND	1
Heptane (Hep)	0.021	0.063	ND	5000	Trichloroethylene (TriClEth)	0.01	0.029	ND	1
Toluene (Toluene)	0.006	0.018	ND	890	M,P-Xylene (mp-xyl)	0.01	0.029	0.0	2170
O-Xylene (o-xyl)	0.008	0.024	ND	2170					

\*The limit of 2170 ug/g for M,P-Xylene (mp-xyl) and O-Xylene (o-xyl) is to be intended as the two analytes combined.

ND Not Detected  
 N/A Not Applicable  
 NT Not Reported  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TFNC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature  
  
 Dr. Archana R. Parameswar,  
 Laboratory Director  
 Fri, 05 Mar 2021 16:20:19 -0600